

1/12




FIG. 1




FIG. 2

2/12




FIG.3

This exploded perspective view illustrates the assembly of a mechanical device. The main components and their reference numerals are as follows:

- 22**: The main housing or base plate, shown in an exploded position.
- 31**: A central component, possibly a piston or plunger, with a T-shaped cross-section.
- 36**: A rectangular block or plug located at the top of the assembly.
- 38**: A top plate or cover that fits over the central component.
- 40**: A side plate or cover that fits onto the side of the main housing.
- 42**: A small circular gasket or O-ring.
- 44**: A circular disc or plate, possibly a diaphragm or seal.
- 46**: A bolt or screw used to secure the top plate (38) and the side plate (40).
- 48**: A circular disc or plate, similar to 44, located at the bottom of the assembly.
- 54**: A small component, possibly a pin or a small gasket, located near the bottom disc (48).
- 93**: A small rectangular component, possibly a pin or a small gasket, located near the bottom of the main housing.
- 95**: A small rectangular component, possibly a pin or a small gasket, located near the bottom of the main housing.
- 97**: A small rectangular component, possibly a pin or a small gasket, located near the bottom of the side plate.
- 99**: A small rectangular component, possibly a pin or a small gasket, located near the bottom of the side plate.
- 101**: A small rectangular component, possibly a pin or a small gasket, located near the bottom of the side plate.
- 103**: A small rectangular component, possibly a pin or a small gasket, located near the bottom of the side plate.

SUBSTITUTE SHEET (RULE 26)

THE NEW YORK PUBLIC LIBRARY



[illegible]

SUBSTITUTE SHEET (RULE 26)

6/12




FIG.7

7/12




FIG. 8

8/12




FIG.9

SUBSTITUTE SHEET (RULE 26)

10/12




FIG.11

[illegible]

FIG.12

090716Z JUL 80




FIG. 13